Author Index

Abbas, K. A.	Estimation of surface film conductance during cooling of fish package	271–276
Abid, M.	Surface sensitivity study of non-gasketed flange joint	205–212
Acarnley, P.	Speed estimation and control in a belt-driven system for a web production process. Part 1: system modelling and validation	15–24
Acarnley, P.	Speed estimation and control in a belt-driven system for a web production process. Part 2: control stategy	25–32
Andrews, J. D.	Using statistically designed experiments for safety system optimization	53–63
Andrews, J. D.	Phased mission modelling using fault tree analysis	83–91
Andrews, J. D.	Analysis methods for fault trees that contain secondary failures	93–102
Ansari, F. A.	Estimation of surface film conductance during cooling of fish package	271–276
Ansell, J. I.	The stability of an optimal maintenance strategy for repairable assets	77–82
Archibald, T. W.	The stability of an optimal maintenance strategy for repairable assets	77–82
Armstrong, C. G.	Finite element modelling of stretch – blow moulding of PET bottles using Buckley model: plant tests and effects of process conditions and material parameters	237–250
Bansal, P. K.	Experimental investigation of the energy efficiency of gas commercial laundry dryers	143–152
Bartlett, L. M.	Using statistically designed experiments for safety system optimization	53–63
Beck, S. B. M.	Energy consumption and capacity utilization of galvanizing furnaces	251–259
Billinton, R.	Mathematical methods of combining deterministic/probabilistic criteria in short-term generating reserve scheduling	69–75
Bingley, M. S.	Frictional characteristics of steel plates during abrasive particle flow: a comparison of *in situ* measurements made on a linear abrasive wear tester with those on a Jenike shear tester	221–235
Blakey, S. G.	Energy consumption and capacity utilization of galvanizing furnaces	251–259
Bradley, M. S. A.	Frictional characteristics of steel plates during abrasive particle flow: a comparison of *in situ* measurements made on a linear abrasive wear tester with those on a Jenike shear tester	221–235
Chen, X. D.	Effect of high mass fluxes on heat and mass transfer through a flat surface	213–220
Dmitriev, S. A.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
Dunnett, S.	Analysis methods for fault trees that contain secondary failures	93–102
Ensor, B.	Decommissioning of a liquid effluent treatment R & D facility	169–174
Fan, D.	Dynamic analysis of shaker mixers and an asymmetrical twin-container design	153–160
Fotuhi-Firuzabad, M.	Mathematical methods of combining deterministic/probabilistic criteria in short-term generating reserve scheduling	69–75
Fraser, A. W.	Neural network modelling and prediction in multipass steel processing	121–132
Hamblin, C.	Decommissioning of a liquid effluent treatment R & D facility	169–174
Hamilton, R.	Shakedown behaviour of thick cylindrical vessels with crossholes	133–141
Harkin-Jones, E. M. A.	Finite element modelling of stretch – blow moulding of PET bottles using Buckley model: plant tests and effects of process conditions and material parameters	237–250
Kar, S.	Effect of high mass fluxes on heat and mass transfer through a flat surface	213–220
Karlina, O. K.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
Khan, J. U. R.	A study of fouling and its effects on the performance of counter flow wet cooling towers	43–51
Klamecki, B. E.	Enhancement of the low-level components of milling vibration signals by stochastic resonance	33–41
Klimov, V. L.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
La Band, R. A.	Phased mission modelling using fault tree analysis	83–91
Lee, W. E.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
Mackenzie, D.	Shakedown behaviour of thick cylindrical vessels with crossholes	133–141
Makin, E.	Speed estimation and control in a belt-driven system for a web production process. Part 1: system modelling and validation	15–24
Makin, E.	Speed estimation and control in a belt-driven system for a web production process. Part 2: control stategy	25–32
Makulsawatudom, P.	Shakedown behaviour of thick cylindrical vessels with crossholes	133–141
Mansouri, S. H.	Computational modelling of the unsaturated flow of liquid in heap leaching, using the results of column tests to calibrate the model	277–289
Martin, E. B.	Neural network modelling and prediction in multipass steel processing	121–132
Mehrabian, M. A.	Computational modelling of the unsaturated flow of liquid in heap leaching, using the results of column tests to calibrate the model	277–289
Menary, G. H.	Finite element modelling of stretch – blow moulding of PET bottles using Buckley model: plant tests and effects of process conditions and material parameters	237–250

© IMechE 2004

Mengistu, S.	Frictional characteristics of steel plates during abrasive particle flow: a comparison of *in situ* measurements made on a linear abrasive wear tester with those on a Jenike shear tester	221–235
Micheletti, M.	Study of fluid velocity characteristics in stirred solid – liquid suspensions with a refractive index matching technique	191–204
Morris, A. J.	Neural network modelling and prediction in multipass steel processing	121–132
Nash, D. H.	Surface sensitivity study of non-gasketed flange joint	205–212
Ojovan, M. I.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
Parkinson, H. J.	Systematic approach to the planning and execution of product remanufacture	1–13
Petrov, G. A.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
Sapuan, S. M.	Estimation of surface film conductance during cooling of fish package	271–276
Sarrafi, A.	Computational modelling of the unsaturated flow of liquid in heap leaching, using the results of column tests to calibrate the model	277–289
Schleyer, G. K.	Predicting the effects of blast loading arising from a pressure vessel failure: a review	181–190
Semenov, C. N.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
Sheikhzadeh, G. A.	Computational modelling of the unsaturated flow of liquid in heap leaching, using the results of column tests to calibrate the model	277–289
Sobolev, I. A.	Thermochemical processing using powder metal fuels of radioactive and hazardous waste	261–269
Thomas, L. C.	The stability of an optimal maintenance strategy for repairable assets	77–82
Thompson, G.	Systematic approach to the planning and execution of product remanufacture	1–13
Thompson, G.	Review of maintainability design priniciples and their application to conceptual design	103–112
Tjiparuro, Z.	Review of maintainability design priniciples and their application to conceptual design	103–112
Wakeman, R. J.	Dynamic analysis of shaker mixers and an asymmetrical twin-container design	153–160
Williamson, N.	Experimental investigation of the energy efficiency of gas commercial laundry dryers	143–152
Yang, Z. J.	Finite element modelling of stretch – blow moulding of PET bottles using Buckley model: plant tests and effects of process conditions and material parameters	237–250
Yianneskis, M.	Study of fluid velocity characteristics in stirred solid – liquid suspensions with a refractive index matching technique	191–204
Zaher, M. A.	Using aerodynamic methods for the testing of hydraulic machines	161–168
Zubair, S. M.	A study of fouling and its effects on the performance of counter flow wet cooling towers	43–51

© IMechE 2004